



### **Facility Maintenance**

..... 003

#### **Hand Tools**

..... 004 Adjustable Wrenches & Sets Clamps Combination Wrenches & Sets ..... 006 ..... 009 Knives & Blades Locking Pliers ..... 010 ..... 011 Tongue & Groove Pliers ..... 013 Scissors, Snips & Cutting Tools

### Measuring & Layout Tools

..... 014 Dial & Digital Calipers ..... 015 Levels Marking Tools ..... 016 ..... 017 Rulers Squares ..... 019

#### **Power Tool Accessories**

..... 020 **Brad-Point Drill Bits** ..... 021 Chisel Bits ..... 022 Forstner Bits Hole Saws & Cutters ..... 023 ..... 026 Rotary Hammer Drill Bits Spade Drill Bits ..... 028 ..... 029 ..... 034 Screwdriver Bits & Holders

### Safety

Anti-Slip Tapes, Treads & Stair Nosings **Cut-Resistant Gloves** ..... 036 **General Purpose Gloves** ..... 037 ..... 038 Hearing Protection Hairnets, Bouffants & Beard Nets **Boot & Shoe Covers** ..... 040 ..... 041 **Respiratory Protection** 

NORTHSKY™, the NorthSky Logo, and all other trademarks, service marks and registered marks are property of NorthSky Supply Inc. or its affiliates and/or licensors, are protected by law, and may not be used without permission. NorthSky Supply reserves the right to change specifications without prior notice. All original content including images © 2024 NorthSky Supply. All Rights Reserved.



		T7 4000	امد	T00 4050		T31-1045	
F1		T7-1023 T7-1005	018 019	T33-1050 T32-1006	025 026	T31-1046	033 033
		17-1005	019	T32-1007	026		033
F1-102-68	003			T32-1007	026	T31-1048 T31-1049	034
F1-102-810	003			T32-1009	026	131-1049	033
			T3	T32-1009			
F1-102-1012	003			T32-1010	026 026		
		T00 1044	000			S	
,		T32-1044	020	T32-1012	026		
T1		T32-1031	021	T32-1013	026		
		T32-1045	022	T32-1014	026	S10-1005	035
	1	T32-1046	022			S10-1006	035
T1-1037	004	T32-1047	022	T32-1015	026	S10-1003	035
T1-1038	004	T32-1048	022	T32-1016	026	S10-1004	035
T1-1039	004	T32-1049	022	T32-1026	026	S10-1001	035
T1-1040	004	T32-1050	022	T32-1027	026	S10-1002	035
T1-1043	004	T32-1051	022	T32-1028	026	S1-129-S	036
T1-1044	004	T32-1052	022	T32-1029	026	S1-129-M	036
T1-1045	004			T32-1030	026	S1-129-L	036
T1-1046	004	T32-1053	022	T32-1001	026	S1-129-XL	036
T13-1009	005	T32-1054	022	T32-1002	026		
T13-1011	005	T32-1055	022	T32-1003	027	S1-129-XXL	036
		T32-1056	022			S1-120-S	037
T1-1001	006	T32-1057	022	T32-1004	027	S1-120-M	037
T1-1009	006	T33-1003	023	T32-1005	027	S1-120-L	037
T1-1014	006	T33-1004	023	T32-1059	028	S1-120-XL	037
T1-1016	006	T33-1005	023	T31-1029	029	S1-120-XXL	037
T1-1023	006	T33-1006	023	T31-1030	029	S1-122-S	037
T1-1032	006	T33-1007	023	T31-1031	029	S1-122-M	037
				T31-1033	029	S1-122-L	037
		T33-1008	023	T31-1039	029	S1-122-XL	037
Т6		T33-1009	023	T31-1040	029		
10		T33-1010	023	T31-1041	029	S1-122-XXL	037
		T33-1011	023				
T6-1002	007	T33-1012	023	T31-1042	029		
T6-1003	007	T33-1013	023	T31-1043	029		
T6-1004	007	T33-1014	023	T31-1051	029	S	2
T6-1006	007	T33-1015	023	T31-1052	029		
T6-1007	008	T33-1016	023	T31-1057	029	S2-101	038
T6-1013	009	T33-1017	023	T31-1058	029	S2-103	038
T6-1009	009			T31-1059	030	S2-104	038
T6-1012	009	T33-1018	024	T31-1060	030	S2-105	038
T6-1016	012	T33-1019	024	T31-1061	030	32-103	030
T6-1020	013	T33-1020	024	T31-1062	030		
10-1020	013	T33-1020	024	131-1002	030		
T6-1022	013	T33-1022	024	T31-1001	031	S	3
T6-1023	013	T33-1023	024	T31-1002	031		
10-1023	013	T33-1024	024	T31-1002	031	S6-105-W	039
		T33-1025	024	T31-1004	031	S6-105-BU	039
		T33-1026	024	T31-1005	031	S6-106-W	039
T4		T33-1027	024	T31-1005	031	36-106-W	039
		133-1027	024				
T4 4040	a40	T00 4000	204	T31-1007	031		
T4-1013	010	T33-1028	024	T31-1008	032	S'	7
T4-1014	010	T33-1029	024	T31-1009	032		
T4-1009	011	T33-1030	024	T31-1010	032		
T4-1010	011	T33-1031	024			S7-101-BU	040
T4-1011	011	T33-1032	024	T31-1011	032		
		T33-1033	024	T31-1012	032		
		T33-1034	024	T31-1013	032	S	5
T7		T33-1035	024	T31-1014	032		
		T33-1036	024	T31-1015	032		
	1	T33-1037	024	T31-1016	032	S5-101	041
T7-1026	014			T31-1017	032		
T7-1027	014	T33-1038	024	T31-1018	032		
T7-1028	014	T33-1039	025	T31-1019	032	10	
T7-1029	014	T33-1040	025	T31-1020	032		
T7-1007	015	T33-1041	025				
T7-1008	015	T33-1042	025	T31-1021	032	10087	041
T7-1016	016	T33-1043	025	T31-1022	032	10088	041
T7-1017	016	T33-1044	025	T31-1023	032		
T7-1019	017	T33-1045	025	T31-1024	032		
T7-1018	017	T33-1046	025	T31-1025	032		
		T33-1047	025	T31-1026	032		
T7-1020	018			T31-1027	033		
T7-1021	018	T33-1048	025	T31-1028	033		
	018	T33-1049	025	T31-1044	033		
T7-1022							



## **Tarps**



### **Heavy Duty Tarps**

- Waterproof Armor
- UV-Resistant Shield
- Built to Last

Model	Brand	Cut Size	Finished Size (W x L)	Thickness (mil)	Tarp Resistant Features	Tarp Finished Width	Color
Heavy Duty Tarps							
F1-102-68	NorthSky Select	6×8 ft	6×8 ft	10.5 mil	Tear Resistant	6 ft	Silver-Black
F1-102-810	NorthSky Select	8×10 ft	8×10 ft	10.5 mil	Tear Resistant	8 ft	Silver-Black
F1-102-1012	NorthSky Select	10×12 ft	10×12 ft	10.5 mil	Tear Resistant	10 ft	Silver-Black



## **Adjustable Wrenches & Sets**



### **Adjustable Wrenches**

- Superior Chromium-Vanadium Steel
- Hex Jaw Design
- Clear and Accurate Readings



### **Adjustable Wrenches** with Comfort Grip

- Superior Chromium-Vanadium
- Hex Jaw Design
- Comfortable & Anti-Slip Grip

Model	Brand	Overall Length	Jaw Capacity	Grip Style	Finish	Material
Adjustable Wren	nches					
T1-1037	Black Canyon	6 in	15/16 in	Standard	Chrome	Alloy Steel
T1-1038	Black Canyon	8 in	1-3/16 in	Standard	Chrome	Alloy Steel
T1-1039	Black Canyon	10 in	1-3/8 in	Standard	Chrome	Alloy Steel
T1-1040	Black Canyon	12 in	1-5/8 in	Standard	Chrome	Alloy Steel
Adjustable Wren	nches with Comfort Grip					
T1-1043	Black Canyon	6 in	15/16 in	Comfort & Double Dipped & Textured	Chrome	Alloy Steel
T1-1044	Black Canyon	8 in	1-3/16 in	Comfort & Double Dipped & Textured	Chrome	Alloy Steel
T1-1045	Black Canyon	10 in	1-3/8 in	Comfort & Double Dipped & Textured	Chrome	Alloy Steel
T1-1046	Black Canyon	12 in	1-5/8 in	Comfort & Double Dipped & Textured	Chrome	Alloy Steel



## **Clamps**



### **Bar Clamps**

- Powerful 600 lbs Clamping Force
- Massive Capacity for Large
- Cast Iron Margin Steel Durability

Model	Brand	Maximum Working Opening	Throat Depth	Clamping Force
Bar Clamps				
T13-1009	Black Canyon	12 in	2-3/8 in	600 lbs
T13-1011	Black Canyon	24 in	2-3/8 in	600 lbs



### **Combination Wrenches & Sets**



### SAE 12-Point **Combination Wrenches**

- Rust-Resistant Chrome Plating
- Dual-Purpose 12-Point Box End & Hex Opening
- Optimized 15-Degree Angle & Offset Design



### Metric 12-Point **Combination Wrenches**

- Rust-Resistant Chrome Plating
- Dual-Purpose 12-Point Box End & **Hex Opening**
- Optimized 15-Degree Angle & Offset Design

Model	Brand	Head Size	Head Type	Overall Length	Head Offset Angle	Opening Angle			
SAE 12-Point Combin	SAE 12-Point Combination Wrenches								
T1-1001	Black Canyon	1/4 in	Offset	4-7/8 in	15°	15°			
T1-1009	Black Canyon	5/8 in	Offset	8-1/8 in	15°	15°			
T1-1014	Black Canyon	15/16 in	Offset	12-1/2 in	15°	15°			
Metric 12-Point Com	bination Wrenches								
T1-1016	Black Canyon	6 mm	Offset	4-7/8 in	15°	15°			
T1-1023	Black Canyon	13 mm	Offset	7-1/16 in	15°	15°			
T1-1032	Black Canyon	22 mm	Offset	11-5/8 in	15°	15°			



### **Knives & Blades**



### **Utility Knife with String Cutter & Wire Stripper**

- Ergonomic Design
- Tool-Less Blade Change
- Premium Material



### **Auto-Retractable Utility Knife**

- Auto-Retract
- Comfortable Ergonomic Grip
- Convenient Tool-Less Blade Change



### **Snap-Off Utility Knife**

- Ergonomic Design
- Durable Blade
- Manual Retraction



#### **Box Cutters**

- Durable Construction
- Replaceable Blade
- Sharp Cutting Edge

Model	Brand	Overall Length	Blade Material	Handle Material	Blade Tip		
Utility Knife with S	tring Cutter & Wire Stripper						
T6-1002	Black Canyon	6.85 in	Carbon Steel	Zinc Alloy+ABS+TPR	Standard		
Auto-Retractable Utility Knife							
T6-1003	Black Canyon	6.54 in	Carbon Steel	Aluminum Alloy+ABS+TPR	Standard		
Snap-Off Utility Kn	nife						
T6-1004	Black Canyon	6.69 in	Carbon Steel	ABS+TPR	Standard		
Box Cutters							
T6-1006	Black Canyon	4.06 in	Carbon Steel	Carbon Steel	Standard		



### **Knives & Blades**



## **Concealed Blade Safety**

- Sleek Plastic Casing
- Hidden Stainless Steel Blade
- No-Change Blade

Model	Model Brand		Grip Type	Blade Material	Handle Color
Concealed Blade Safe	ety Knife				
T6-1007	Black Canyon	6.61 in	Plain	Stainless Steel	Red



### **Knives & Blades**



### Safety Knife Replacement Blades

- High Quality Material
- Portable Packaging
- Multipurpose Use



### **Utility Knife Replacement Blades**

- High Quality Material
- Compact and Lightweight Design
- Oil Paper Packaging



### **Box Cutter Replacement Blades**

- Convenient Packaging
- High-Quality Carbon Steel
- Versatile Cutting Performance

Model	Brand	Blade Length	Blade Width	Blade Thickness	Blade Material		
Safety Knife Replace	ement Blades						
T6-1013	Black Canyon	0.709 in	1.535 in	0.02 in	Carbon Steel		
Utility Knife Replace	ment Blades						
T6-1009	Black Canyon	0.748 in	2.323 in	0.024 in	Carbon Steel		
Box Cutter Replacement Blades							
T6-1012	Black Canyon	0.748 in	1.535 in	0.01 in	Carbon Steel		



## **Locking Pliers**



### **Curved Jaw Locking Pliers**

- Powerful Grip
- Durable Construction
- Reliable Locking Mechanism

Model	Brand	Overall Length	Jaw Width	Jaw Thickness	Jaw Length	Grip Style	Maximum Jaw Opening
Curved Jaw Locking	g Pliers						
T4-1013	Black Canyon	10 in	7/16 in	1/2 in	1-3/16 in	Plain	1-7/8 in
T4-1014	Black Canyon	7 in	5/16 in	3/8 in	1 in	Plain	1-1/2 in



## **Tongue & Groove Pliers**



### V-Jaw Tongue & Groove **Pliers**

- Versatile Jaw Design
- Superior Chromium-Vanadium Steel
- Comfortable Dual-Dipped Handle

Model	Brand	Overall Length	Number of Jaw Positions	Maximum Jaw Opening	Jaw Width	Jaw Length	Jaw Texture
V-Jaw Tongue & G	Proove Pliers						
T4-1009	Black Canyon	7 in	18	1-13/16 in	1/4 in	13/16 in	Serrated
T4-1010	Black Canyon	10 in	26	2-5/8 in	1/4 in	1 in	Serrated
T4-1011	Black Canyon	12 in	31	3-1/4 in	5/16 in	1-1/4 in	Serrated



## **Scissors, Snips & Cutting Tools**



### **Scissors**

- Crafted for Accuracy
- Engineered for Longevity
- User-Friendly Grip

Model	Brand	Tip Shape	Cutting Edge Type	Handle Color	Blade Material	Cutting Capacity Type	Length of Cut
Scissors							
T6-1016	Black Canyon	Fine	Straight	Black	Stainless Steel	Leather; Fabrics	3.937 in



## **Scissors, Snips & Cutting Tools**



### **Aviation Snips**

- Precision Straight Cuts
- Superior Cutting Capacity
- Unmatched Durability

Model	Brand	Cutting Direction	Overall Length	Blade Material	Grip Material	Cutting Length
Aviation Snips						
T6-1020	Black Canyon	Straight	10 in	Chromium-Molybdenum Steel	Plastic	0.67 in
T6-1022	Black Canyon	Right	10 in	Chromium-Molybdenum Steel	Plastic	0.67 in
T6-1023	Black Canyon	Left	10 in	Chromium-Molybdenum Steel	Plastic	0.67 in



## **Dial & Digital Calipers**

**Dial Calipers** Compact and Precise

 High Accuracy Analog Display

**Digital Calipers** Compact and Versatile

High Precision

Digital Display

Model	Brand	Maximum Measurement	Range	Repeatability	Jaw Depth - Upper Jaw	Includes Battery	Battery Size
Dial Calipers							
T7-1026	Black Canyon	6 in	0 in to 6 in		5/8 in	No	
T7-1027	Black Canyon	12 in	0 in to 12 in		3/4 in	No	
Digital Calipers							
T7-1028	Black Canyon	6 in; 150 mm	0 in to 6 in	0.0004 in	7/8 in	No	CR2032
T7-1029	Black Canyon	12 in; 300 mm	0 in to 12 in	0.0004 in	5/8 in	No	CR2032



### Levels

### **Box Levels**

- Robust Construction
- Magnetic Base
- Clear Readability

### I-Beam Levels

- Durable I-Beam Design
- Magnetic Base
- Clear Readability

Model	Brand	Overall Length	Frame Material	Vial Readability (Level)	Magnet Type
Box Levels					
T7-1007	Black Canyon	24 in	Aluminum	Top & Side Read	Strip
I-Beam Levels					
T7-1008	Black Canyon	24 in	Aluminum	Top & Side Read	Strip



## **Marking Tools**



### **Marking Chalk**

- Standard Type
- Convenient Size
- Attractive Color

Model	Brand	Color	Permanence	Product Type	Capacity
Marking Chalk					
T7-1016	Black Canyon	Blue	Standard	Standard Marking Chalk	8 oz Bottle
T7-1017	Black Canyon	Red	Permanent	Permanent Marking Chalk	8 oz Bottle



### **Rulers**

### **Stainless Steel Rulers**

- Dual Measurement System
- Ample Size
- Detailed Graduation Marks

Model	Brand	Length	System of Measurement	Width	Flexibility	Graduation Marks
Stainless Steel Rulers						
T7-1019	Black Canyon	12 in	SAE/Metric	1-1/4 in	Rigid	1/16 in, first and last inch in 1/32, 1 mm
T7-1018	Black Canyon	6 in	SAE/Metric	3/4 in	Rigid	1/32 in, 1 mm



## **Squares**



### **Rafter Angle Squares**

- Rafter Square Design
- Durable Material
- Precise Graduation Marks



### **Combination Squares**

- Dual Measurement System
- Extended Length and Width
- Precise Graduation Marks

Model	Brand	Square Size	Blade Size	Material	Finish	System of Measurement	Coating
Rafter Angle So	quares						
T7-1020	Black Canyon	7 in	No Blade	Aluminum	Polished	SAE	Powder
T7-1021	Black Canyon	12 in	No Blade	Aluminum	Polished	SAE	Powder
Combination S	quares						
T7-1022	Black Canyon	12 in Blade	12 in (Length)	Steel Blade & Stainless Steel Head	Polished	SAE/Metric	Head Coating—Powder
T7-1023	Black Canyon	12 in Blade	6 in (Length)	Steel Blade & Stainless Steel Head	Polished	SAE/Metric	Head Coating—Powder



## **Tape Measures**



### **Distance Measuring** Wheel, Foldable

- Extensive Measuring Range
- Large Wheel Diameter
- High Precision

Model	Brand	Measuring Distance (Maximum)			Tread Material	Wheel Diameter	Precision
Distance Measur	ing Wheel, Foldable						
T7-1005	Black Canyon	99999.9 ft	Feet	3 ft 3-3/8 in	TPR	12-1/2 in	±0.5%



### **Brad-Point Drill Bits**



#### 10-Piece Brad-Point Drill Bit Set

- Brad-Point Tip
- 12" Extra-Long Length
- Optimized Flutes

Model	Brand	Overall Length	Shank Type	Shank Diameter	Number of Pieces	
10-Piece Brad-Point Drill Bit Set						
T32-1044	T32-1044 Black Canyon 12 in Straight Round Shank 1/8 in; 9/64 in; 5/32 in; 11/64 in; 3/16 in; 7/32 in; 11/4 in; 5/16 in		1/8 in; 9/64 in; 5/32 in; 11/64 in; 3/16 in; 7/32 in; 1/4 in; 5/16 in; 7/16 in; 1/2 in	10		



### **Chisel Bits**



### **3-Piece SDS-Plus Chisel Bit Set**

- 40CR Steel Construction
- Sandblasted Surface Treatment
- SDS-Plus Shank

Model	Brand	Shank Diameter	Head Width	Overall Length			
3-Piece SDS-Plus Chisel Bit Set							
T32-1031	Black Canyon	elack Canyon 25/84 in Flat Chisel 3/4 in; Tile Chisel 1-1/2 in		10 in			



### **Forstner Bits**



### **Forstner Bits**

- 1/4" Drill Bit Size
- Multi-tooth Flat-cut Design
- Centered Pilot Point

Model	Brand	Drill Bit Size	Overall Length	Shank Type	Shank Diameter
Forstner Bits					
T32-1045	Black Canyon	1/4 in	3-11/16 in	Straight	3/8 in
T32-1046	Black Canyon	3/8 in	3-11/16 in	Straight	3/8 in
T32-1047	Black Canyon	1/2 in	3-11/16 in	Straight	3/8 in
T32-1048	Black Canyon	5/8 in	3-11/16 in	Straight	3/8 in
T32-1049	Black Canyon	3/4 in	3-11/16 in	Straight	3/8 in
T32-1050	Black Canyon	7/8 in	3-11/16 in	Straight	3/8 in
T32-1051	Black Canyon	1 in	3-11/16 in	Straight	3/8 in
T32-1052	Black Canyon	1-1/8 in	3-11/16 in	Straight	3/8 in
T32-1053	Black Canyon	1-1/4 in	3-11/16 in	Straight	3/8 in
T32-1054	Black Canyon	1-3/8 in	3-11/16 in	Straight	3/8 in
T32-1055	Black Canyon	1-1/2 in	3-11/16 in	Straight	3/8 in
T32-1056	Black Canyon	1-5/8 in	3-11/16 in	Straight	3/8 in
T32-1057	Black Canyon	2 in	3-11/16 in	Straight	3/8 in



### **Hole Saws & Cutters**

### **Diamond Core Bit Set**

- Wide Range of Sizes
- Premium Diamond Tipped
- Dry Drilling



### **Diamond Hole Saws**

- 5/8"-11 UNC Thread
- Superior Technology
- Efficient Design



### **Carbide Hole Saw Kit**

- Advanced Design
- Premium Materials
- Versatile Applications



#### **Carbide Hole Cutter Kit**

- Premium Quality
- Efficient Design
- Protective Feature



#### **Carbide Hole Saws**

- Advanced Design
- Premium Materials
- Versatile Applications



#### **Carbide Hole Cutters**

- Premium Quality
- Efficient Design
- Protective Feature

Model	Brand	Saw Dia.	Shank Type	Overall Length	Shank Diameter	Number of Teeth	Thread Size
Diamond Core	Diamond Core Bit Set						
T33-1003	Black Canyon	(2) 3/16 in; (2) 1/4 in; (2) 5/16 in; 3/8 in; 1/2 in	Straight Round Shank		1/6 in; 3/14 in; 2/7 in; 1/3 in	No	No
Diamond Hole S	Saws						
T33-1004	Black Canyon	1/4 in	Shankless	2-3/8 in	Shankless	No	5/8"-11 UNC
T33-1005	Black Canyon	5/16 in	Shankless	2-3/8 in	Shankless	No	5/8"-11 UNC
T33-1006	Black Canyon	3/8 in	Shankless	2-3/8 in	Shankless	No	5/8"-11 UNC
T33-1007	Black Canyon	1/2 in	Shankless	2-3/8 in	Shankless	No	5/8"-11 UNC
T33-1008	Black Canyon	5/8 in	Shankless	2-3/8 in	Shankless	2	5/8"-11 UNC
T33-1009	Black Canyon	3/4 in	Shankless	2-3/8 in	Shankless	2	5/8"-11 UNC
T33-1010	Black Canyon	1 in	Shankless	2-3/8 in	Shankless	3	5/8"-11 UNC
T33-1011	Black Canyon	1-1/8 in	Shankless	2-3/8 in	Shankless	4	5/8"-11 UNC
T33-1012	Black Canyon	1-1/4 in	Shankless	2-3/8 in	Shankless	4	5/8"-11 UNC
T33-1013	Black Canyon	1-3/8 in	Shankless	2-3/8 in	Shankless	4	5/8"-11 UNC
T33-1014	Black Canyon	1-1/2 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
T33-1015	Black Canyon	1-3/4 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
T33-1016	Black Canyon	2 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
T33-1017	Black Canyon	2-1/2 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC



## **Hole Saws & Cutters**

Model	Brand	Saw Dia.	Shank Type	Overall Length	Shank Diameter	Number of Teeth	Thread Size
T33-1018	Black Canyon	3 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
Carbide Hole S	aw Kit						
T33-1019	Black Canyon	5/8 in; 3/4 in; 7/8 in; 1 in; 1-1/8 in; 1-1/4 in; 1-3/8 in; 1-3/4 in; 2 in; 2-1/8 in	3-Flat	3-7/10 in	3/8 in	4; 6; 9	No
Carbide Hole C	utter Kit						
T33-1020	Black Canyon	7/8 in; 1-1/8 in;1-3/8 in	3-Flat	3-1/4 in	3/8 in	6; 6; 8	No
Carbide Hole S	aws						
T33-1021	Black Canyon	3/4 in	3-Flat	3-7/10 in	3/8 in	4	No
T33-1022	Black Canyon	7/8 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1023	Black Canyon	1 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1024	Black Canyon	1-1/8 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1025	Black Canyon	1-7/32 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1026	Black Canyon	1-1/4 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1027	Black Canyon	1-3/8 in	3-Flat	3-7/10 in	3/8 in	9	No
T33-1028	Black Canyon	1-1/2 in	3-Flat	3-7/10 in	3/8 in	9	No
T33-1029	Black Canyon	1-3/4 in	3-Flat	3-7/10 in	3/8 in	9	No
T33-1030	Black Canyon	2 in	3-Flat	3-7/10 in	3/8 in	9	No
T33-1031	Black Canyon	2-1/2 in	3-Flat	3-7/10 in	3/8 in	12	No
T33-1032	Black Canyon	3 in	3-Flat	3-7/10 in	3/8 in	12	No
T33-1033	Black Canyon	3-1/2 in	3-Flat	3-9/10 in	3/8 in	15	No
T33-1034	Black Canyon	4 in	3-Flat	3-9/10 in	3/8 in	18	No
T33-1035	Black Canyon	4-1/2 in	3-Flat	3-9/10 in	15/32 in	18	No
Carbide Hole C	utters						
T33-1036	Black Canyon	3/4 in	3-Flat	3-1/4 in	3/8 in	4	No
T33-1037	Black Canyon	7/8 in	3-Flat	3-1/4 in	3/8 in	4	No
T33-1038	Black Canyon	1 in	3-Flat	3-1/4 in	3/8 in	6	No



### **Hole Saws & Cutters**

Model	Brand	Saw Dia.	Shank Type	Overall Length	Shank Diameter	Number of Teeth	Thread Size
T33-1039	Black Canyon	1-1/8 in	3-Flat	3-1/4 in	3/8 in	6	No
T33-1040	Black Canyon	1-7/32 in	3-Flat	3-1/4 in	3/8 in	6	No
T33-1041	Black Canyon	1-1/4 in	3-Flat	3-1/4 in	3/8 in	6	No
T33-1042	Black Canyon	1-3/8 in	3-Flat	3-1/4 in	3/8 in	8	No
T33-1043	Black Canyon	1-1/2 in	3-Flat	3-1/4 in	3/8 in	8	No
T33-1044	Black Canyon	1-3/4 in	3-Flat	3-1/4 in	3/8 in	10	No
T33-1045	Black Canyon	2 in	3-Flat	3-1/4 in	3/8 in	10	No
T33-1046	Black Canyon	2-1/2 in	3-Flat	3-1/4 in	3/8 in	12	No
T33-1047	Black Canyon	3 in	3-Flat	3-1/4 in	1/2 in	14	No
T33-1048	Black Canyon	3-1/2 in	3-Flat	3-1/4 in	1/2 in	18	No
T33-1049	Black Canyon	4 in	3-Flat	3-1/4 in	1/2 in	20	No
T33-1050	Black Canyon	4-1/2 in	3-Flat	3-1/4 in	1/2 in	22	No



## **Rotary Hammer Drill Bits**



### 12 in SDS-Plus Rotary **Hammer Drill Bits**

- Double Flute Design
- Alloy Steel Body SDS-Plus Shank

### 13 in SDS-Max Rotary **Hammer Drill Bits**

- Wide Flute Design
- Alloy Steel Body
- SDS-Max Shank



### 6 in SDS-Plus Rotary **Hammer Drill Bits**

- Double Flute Design
- Alloy Steel Body
- SDS-Plus Shank

Model	Brand	Drill Bit Size	Body Material	Shank Type	Tip Type	Flute Type	Maximum Drilling Depth
12 in SDS-Plus Ro	tary Hammer Drill Bits						
T32-1006	Black Canyon	3/16 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1007	Black Canyon	1/4 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1008	Black Canyon	5/16 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1009	Black Canyon	3/8 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1010	Black Canyon	7/16 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1011	Black Canyon	1/2 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1012	Black Canyon	9/16 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1013	Black Canyon	5/8 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1014	Black Canyon	3/4 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1015	Black Canyon	7/8 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
T32-1016	Black Canyon	1 in	Aolly Steel	SDS-Plus	Standard	Double Flute	10 in
13 in SDS-Max Rot	tary Hammer Drill Bits						
T32-1026	Black Canyon	3/4 in	Aolly Steel	SDS-Max	Crossed-Tip	Wide Flute	8-1/2 in
T32-1027	Black Canyon	1 in	Aolly Steel	SDS-Max	Crossed-Tip	Wide Flute	8-1/2 in
T32-1028	Black Canyon	1-1/8 in	Aolly Steel	SDS-Max	Crossed-Tip	Wide Flute	9-1/2 in
T32-1029	Black Canyon	1-1/4 in	Aolly Steel	SDS-Max	Crossed-Tip	Wide Flute	9-1/2 in
T32-1030	Black Canyon	1-1/2 in	Aolly Steel	SDS-Max	Crossed-Tip	Wide Flute	9-1/2 in
6 in SDS-Plus Rot	ary Hammer Drill Bits						
T32-1001	Black Canyon	5/32 in	Aolly Steel	SDS-Plus	Standard	Double Flute	4 in
T32-1002	Black Canyon	3/16 in	Aolly Steel	SDS-Plus	Standard	Double Flute	4 in



## **Rotary Hammer Drill Bits**

Model	Brand	Drill Bit Size	Body Material	Shank Type	Tip Type	Flute Type	Maximum Drilling Depth
T32-1003	Black Canyon	1/4 in	Aolly Steel	SDS-Plus	Standard	Double Flute	4 in
T32-1004	Black Canyon	3/8 in	Aolly Steel	SDS-Plus	Standard	Double Flute	4 in
T32-1005	Black Canyon	1/2 in	Aolly Steel	SDS-Plus	Standard	Double Flute	4 in



## **Spade Drill Bits**



### 13-Piece Spade Bit Set

- Various Sizes
- Spade-Like Design
- Double Cutting Spurs

Model	Brand Material Finish		Finish	Drill Bit Size	Overall Length	Hex
13-Piece Spade	e Bit Set					
T32-1059	Black Canyon	High Carbon Steel	Sandblasting Corrosion Resisitan Finish	1/4 in; 5/16 in; 3/8 in; 7/16 in; 1/2 in; 9/16 in; 5/8 in; 11/16 in; 3/4 in; 13/16 in; 7/8 in; 15/16 in; 1 in	6 in	1/4 in



## **Impact Nut Drivers**



### **SAE Impact Nut Drivers,** 1-7/8 in Length

- 1/4" Hex Insertion
- Quality Material
- Corrosion Resistance



### **SAE Impact Nut Drivers,** 6 in Length

- 1/4" Hex Insertion
- 6" Overall Length
- Quality Material



### **Metric Impact Nut** Drivers, 1-7/8 in Length

- 8 mm Hex Insertion
- Quality Material
- Corrosion Resistance



### **Metric Impact Nut** Drivers, 6 in Length

- 8 mm Hex Insertion
- 6" Overall Length
- Quality Material

Model	Brand	Fastening Size	Shank Size	Overall				
		Size	Size	Length				
SAE Impact Nut Drivers, 1-7/8 in Length								
T31-1029	Black Canyon	1/4 in	1/4 in	1-7/8 in				
T31-1030	Black Canyon	5/16 in	1/4 in	1-7/8 in				
T31-1031	Black Canyon	3/8 in	1/4 in	1-7/8 in				
T31-1033	Black Canyon	1/2 in	1/4 in	1-7/8 in				
SAE Impact Nut Drivers,	6 in Length							
T31-1039	Black Canyon	1/4 in	1/4 in	6 in				
T31-1040	Black Canyon	5/16 in	1/4 in	6 in				
T31-1041	Black Canyon	3/8 in	1/4 in	6 in				
T31-1042	Black Canyon	7/16 in	1/4 in	6 in				
T31-1043	Black Canyon	1/2 in	1/4 in	6 in				
T31-1051	Black Canyon	9/16 in	1/4 in	6 in				
Metric Impact Nut Driver	rs, 1-7/8 in Length							
T31-1052	Black Canyon	8 mm	1/4 in	1-7/8 in				
Metric Impact Nut Driver	s, 6 in Length							
T31-1057	Black Canyon	8 mm	1/4 in	6 in				
T31-1058	Black Canyon	10 mm	1/4 in	6 in				



## **Impact Nut Drivers**

Model	Brand	Fastening Size	Shank Size	Overall Length
T31-1059	Black Canyon	11 mm	1/4 in	6 in
T31-1060	Black Canyon	12 mm	1/4 in	6 in
T31-1061	Black Canyon	13 mm	1/4 in	6 in
T31-1062	Black Canyon	14 mm	1/4 in	6 in





### 1 in Phillips Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### 1 in Torx Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### 1 in Square Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### **1 in Slotted Impact Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### 2 in Phillips Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### 2 in Torx Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



#### 2 in Square Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



#### 2 in Slotted Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### **Impact Magnetic Bit Holders**

- 1/4" Hex Shank
- Magnetic Tip
- Corrosion Resistance



#### **Magnetic Drive Guide**

- 1/4" Hex Shank
- Self-Retracting Sleeve
- Magnetic Tip

Model	Brand	Fastening Size	Overall Length	Shank Size			
1 in Phillips Impact Screwdriver Bits							
T31-1001	Black Canyon	Philips PH2	1in	1/4 in			
T31-1002	Black Canyon	Philips PH3	1 in	1/4 in			
T31-1003	Black Canyon	Philips PH1	1 in	1/4 in			
1 in Torx Impact Screwdr	iver Bits						
T31-1004	Black Canyon	Torx T15	1 in	1/4 in			
T31-1005	Black Canyon	Torx T20	1 in	1/4 in			
T31-1006	Black Canyon	Torx T25	1 in	1/4 in			
T31-1007	Black Canyon	Torx T27	1 in	1/4 in			



Model	Brand	Fastening Size	Overall Length	Shank Size			
T31-1008	Black Canyon	Torx T30	1 in	1/4 in			
T31-1009	Black Canyon	Torx T40	1 in	1/4 in			
1 in Square Impact Screwdriver Bits							
T31-1010	Black Canyon	Square SQ1	1 in	1/4 in			
T31-1011	Black Canyon	Square SQ2	1 in	1/4 in			
T31-1012	Black Canyon	Square SQ3	1 in	1/4 in			
1 in Slotted Impact Scre	wdriver Bits						
T31-1013	Black Canyon	Slotted SL8	1 in	1/4 in			
T31-1014	Black Canyon	Slotted SL10	1 in	1/4 in			
2 in Phillips Impact Scre	ewdriver Bits						
T31-1015	Black Canyon	Philips PH2	2 in	1/4 in			
T31-1016	Black Canyon	Philips PH3	2 in	1/4 in			
T31-1017	Black Canyon	Philips PH1	2 in	1/4 in			
2 in Torx Impact Screwo	driver Bits						
T31-1018	Black Canyon	Torx T15	2 in	1/4 in			
T31-1019	Black Canyon	Torx T20	2 in	1/4 in			
T31-1020	Black Canyon	Torx T25	2 in	1/4 in			
T31-1021	Black Canyon	Torx T27	2 in	1/4 in			
T31-1022	Black Canyon	Torx T30	2 in	1/4 in			
T31-1023	Black Canyon	Torx T40	2 in	1/4 in			
2 in Square Impact Scre	wdriver Bits						
T31-1024	Black Canyon	Square SQ1	2 in	1/4 in			
T31-1025	Black Canyon	Square SQ2	2 in	1/4 in			
T31-1026	Black Canyon	Square S03	2 in	1/4 in			
2 in Slotted Impact Scre	ewdriver Bits						



Model	Brand	Fastening Size	Overall Length	Shank Size
T31-1027	Black Canyon	Slotted SL8	2 in	1/4 in
T31-1028	Black Canyon	Slotted SL10	2 in	1/4 in
Impact Magnetic Bit Hol	ders			
T31-1044	Black Canyon	No	3 in	1/4 in
T31-1045	Black Canyon	No	6 in	1/4 in
T31-1046	Black Canyon	No	12 in	1/4 in
Magnetic Drive Guide				
T31-1049	Black Canyon	No	3 in	1/4 in





### **Magnetic Bit Holder**

- 1/4" Hex Shank
- Magnetic Tip
- Corrosion Resistance

Model	Brand	Overall Length	Shank Size	Fastening Tool Tip Size	Includes	Shank Style	Fastening Tool Item
Magnetic Bit Holder	,						
T31-1048	Black Canyon	3 in	1/4 in		Magnetic Bit Holder	Hex	Bit Holder



## **Anti-Slip Tapes, Treads & Stair Nosings**



### **Medium Traffic Anti-Slip** Tape, Black/Yellow

- 2 Inch Wide x 60 Feet Long
- Premium Material
- 60 Grit Traction



### **Heavy Traffic Anti-Slip** Tape, Black

- 4 Inch Wide x 60 Feet Long
- Premium Material
- 45 Grit Traction



### **Medium Traffic Anti-Slip** Tape, Black

- 4 Inch Wide x 60 Feet Long
- Premium Material
- 60 Grit Traction

Model	Brand	Imperial Tape Width	Tape Color	Tape Thickness	Imperial Tape Length	Surface Abrasive	Tape Adhesive Material
Medium Traffic Anti-Slip Tape, Black/Yellow							
S10-1005	Olympia	2 in	Black/Yellow	25 mil	60 ft	Coarse	Synthetic Rubber
S10-1006	Olympia	4 in	Black/Yellow	25 mil	60 ft	Coarse	Synthetic Rubber
Heavy Traffic Ar	nti-Slip Tape, Blac	k					
S10-1003	Olympia	4 in	Black	35 mil	60 ft	Very Coarse	Synthetic Rubber
\$10-1004	Olympia	6 in	Black	35 mil	60 ft	Very Coarse	Synthetic Rubber
Medium Traffic	Anti-Slip Tape, Bla	ack					
S10-1001	Olympia	4 in	Black	25 mil	60 ft	Coarse	Synthetic Rubber
S10-1002	Olympia	6 in	Black	25 mil	60 ft	Coarse	Synthetic Rubber



### **Cut-Resistant Gloves**



### **A4 Cut-Resistant Gloves**

- Cut-ResistantAbrasion-ResistantComfort and Fit

Model	Brand	Size	ANSI/ISEA Cut Level	Thickness	Touchscreen Compatible	Includes Reinforced Thumb Crotch	Coating Texture		
A4 Cut-Resistan	A4 Cut-Resistant Gloves								
S1-129-S	Olympia	S/7	Α4	13 ga	No	No	Smooth		
S1-129-M	Olympia	M/8	Α4	13 ga	No	No	Smooth		
S1-129-L	Olympia	L/9	Α4	13 ga	No	No	Smooth		
S1-129-XL	Olympia	XL/10	Α4	13 ga	No	No	Smooth		
S1-129-XXL	Olympia	XXL/11	Α4	13 ga	No	No	Smooth		



## **General Purpose Gloves**



### Polyurethane Dipped Knit Gloves, Black

- Wear-Resistant
- Anti-Slip Material and Texturization



### **Polyurethane Dipped** Knit Gloves, Blue/Gray

- Wear-Resistant
- Excellent Dexterity
- Anti-Slip Material and Texturization

Model	Brand	Size	Includes Reinforced Thumb Crotch	Touchscreen Compatible	Silicone-Free	Latex-Free	Knit Material
Polyurethane Di	pped Knit Glove	es, Black					
S1-120-S	Olympia	S/7	No	No	No	Yes	Polyester
S1-120-M	Olympia	M/8	No	No	No	Yes	Polyester
S1-120-L	Olympia	L/9	No	No	No	Yes	Polyester
S1-120-XL	Olympia	XL/10	No	No	No	Yes	Polyester
S1-120-XXL	Olympia	XXL/11	No	No	No	Yes	Polyester
Polyurethane Di	pped Knit Glove	es, Blue/Gray					
S1-122-S	Olympia	S/7	No	No	No	Yes	Nylon
S1-122-M	Olympia	M/8	No	No	No	Yes	Nylon
S1-122-L	Olympia	L/9	No	No	No	Yes	Nylon
S1-122-XL	Olympia	XL/10	No	No	No	Yes	Nylon
S1-122-XXL	Olympia	XXL/11	No	No	No	Yes	Nylon



## **Hearing Protection**





### **Bullet-Shaped** Disposable Earplugs,

- Effective Noise Reduction
- All-Day Comfortable Fit
- Easy to Carry



### **Bullet-Shaped** Disposable Earplugs,

- Effective Noise Reduction
- All-Day Comfortable Fit
- Easy to Carry



### **Bell-Shaped Disposable** Earplugs, Uncorded

- Effective Noise Reduction
- All-Day Comfortable Fit
- Easy to Carry





### **Bell-Shaped Disposable** Earplugs, Corded

- Effective Noise Reduction
- All-Day Comfortable Fit
- Easy to Carry

Model	Brand	Noise Reduction Rating (NRR)	Insertion Method	Earplug Color	Reusability	Metal-Detectable	Size			
Bullet-Shaped	Bullet-Shaped Disposable Earplugs, Uncorded									
S2-101	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal			
Bullet-Shaped	Bullet-Shaped Disposable Earplugs, Corded									
S2-103	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal			
Bell-Shaped Disposable Earplugs, Uncorded										
S2-104	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal			
Bell-Shaped Dis	Bell-Shaped Disposable Earplugs, Corded									
S2-105	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal			



## **Hairnets, Bouffants & Beard Nets**



# Disposable Bouffant

- Hygienic Hair Protection
- Generous Size
- Classic White Design



### **Disposable Beard Net** Covers

- Hygienic Beard Protection
- Generous Size
- Classic White Design

Model	Brand	Color	Style	Latex-Free	Diameter	Size	Material	
Disposable Bouffant Caps								
S6-105-W	NorthSky Select	White	Flat	No	21"	Universal	Polypropylene	
S6-105-BU	NorthSky Select	Blue	Flat	No	21"	Universal	Polypropylene	
Disposable Beard Net Covers								
S6-106-W	NorthSky Select	White	Head Strap	No	18"	Universal	Polypropylene	



### **Boot & Shoe Covers**



### Slip-Resistant Boot & **Shoe Covers**

- Slip Resistant Sole
- Durable Polypropylene Construction

Model	Brand Material		Seam Includes Style Slip Resistant So		Closure Color Type		Size
Slip-Resistant Bo	ot & Shoe Covers						
S7-101-BU	NorthSky Select	Polypropylene	Heat-Sealed	Yes	Elastic	Blue	Universal



## **Respiratory Protection**



### Disposable Nuisance **Dust Masks**

- Comfortable Protection
- Dust Protection Safe and Non-Irritating



### **N95** Respirators without **Exhalation Valve**

- PE Material
- Foldable Design
- Color White



### **N95 Respirators with Exhalation Valve**

- PE Material
- Foldable Design
- Color White

Model	Brand	Mask Headstrap Type	Nosepiece Type	Face Seal Type	Color	Mask Size	Individually Packaged	
Disposable Nuisance Dust Masks								
S5-101	Olympia	Single; Non-Adjustable	Metal Nose Clip	None	White	Universal	No	
N95 Respirators without Exhalation Valve								
10087	NorthSky Select	Dual; Adjustable	Metal Nose Clip	Standard	White	Universal	No	
N95 Respirators with Exhalation Valve								
10088	NorthSky Select	Dual; Adjustable	Metal Nose Clip	Standard	White	Universal	No	